

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|---|------|-----|------|---|--|---------------------|
| 1 | BRS | L1 | 1 | (opcode or op-code or (op adj code) or (operation adj code)) with ((access adj plan) or (access adj path adj plan)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:38 |
| 2 | BRS | L2 | 3 | (opcode or op-code or (op adj code) or (operation adj code)) same ((access adj plan) or (access adj path adj plan)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:29 |
| 3 | BRS | L3 | 6 | (opcode or op-code or (op adj code) or (operation adj code)) and ((access adj plan) or (access adj path adj plan)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:43 |
| 4 | BRS | L4 | 3 | 3 and pointer | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:30 |
| 5 | BRS | L5 | 678 | (opcode or op-code or (op adj code) or (operation adj code)) with pointer | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:31 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|---|--|---------------------|
| 6 | BRS | L6 | 1 | 3 and interpreter and call | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:33 |
| 7 | BRS | L7 | 74 | 5 and interpreter and call and (lookup or look-up or (look\$3 adj up)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:15 |
| 8 | BRS | L8 | 0 | 5 and interpreter same call same (lookup or look-up or (look\$3 adj up)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:37 |
| 9 | BRS | L9 | 0 | 1 and interpreter same call same (lookup or look-up or (look\$3 adj up)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:38 |
| 10 | BRS | L10 | 0 | 1 and interpreter and (call same (lookup or look-up or (look\$3 adj up))) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:38 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|---|--|---------------------|
| 11 | BRS | L11 | 39 | interpreter same call same (lookup or look-up or (look\$3 adj up)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:42 |
| 12 | BRS | L12 | 0 | 11 and (opcode or op-code or (op adj code) or (operation adj code)) and ((access adj plan) or (access adj path adj plan)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:39 |
| 13 | BRS | L13 | 12 | 11 and (opcode or op-code or (op adj code) or (operation adj code)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:40 |
| 14 | BRS | L14 | 10 | 11 and (opcode or op-code or (op adj code) or (operation adj code)) and operand | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:40 |
| 15 | BRS | L15 | 10 | 11 and (opcode or op-code or (op adj code) or (operation adj code)) same operand | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:40 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|---|--|---------------------|
| 16 | BRS | L16 | 0 | 15 and 707/\$.ccls. | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:42 |
| 17 | BRS | L17 | 3874 | (opcode or op-code or (op adj code) or (operation adj code)) same operand | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:45 |
| 18 | BRS | L18 | 58 | 17 and 707/\$.ccls. | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:41 |
| 19 | BRS | L19 | 6 | 18 and SQL and query | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:41 |
| 20 | BRS | L20 | 0 | 11 and 707/\$.ccls. | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:43 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|---|--|---------------------|
| 21 | BRS | L21 | 419 | interpreter and (call same (lookup or look-up or (look\$3 adj up))) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:42 |
| 22 | BRS | L22 | 57 | 21 and 707/\$.ccls. | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:47 |
| 23 | BRS | L23 | 0 | 22 and ((access adj plan) or (access adj path adj plan)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:43 |
| 24 | BRS | L24 | 0 | 17 and ((access adj plan) or (access adj path adj plan)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:52 |
| 25 | BRS | L25 | 5593 | (codgen or (code adj generation)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:44 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|--|--|---------------------|
| 26 | BRS | L26 | 168 | 25 and (opcode or op-code or (op adj code) or (operation adj code)) same operand | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:48 |
| 27 | BRS | L27 | 41 | 26 and call with function | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:47 |
| 28 | BRS | L28 | 0 | 27 and 707/\$.ccls. | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:47 |
| 29 | BRS | L29 | 1 | 26 and 707/\$.ccls. | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:47 |
| 30 | BRS | L30 | 225 | 25 and 707/\$.ccls. | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:54 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|--|--|---------------------|
| 31 | BRS | L31 | 14 | 30 and (opcode or op-code or (op adj code) or (operation adj code)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:53 |
| 32 | BRS | L32 | 10 | 30 and ((access adj plan) or (access adj path adj plan)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:00 |
| 33 | BRS | L33 | 0 | 32 and (opcode or op-code or (op adj code) or (operation adj code)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:54 |
| 34 | BRS | L34 | 101 | 25 same (opcode or op-code or (op adj code) or (operation adj code)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:57 |
| 35 | BRS | L35 | 4 | 34 and 707/\$.ccls. | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:16 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|-------|--|--|---------------------|
| 36 | BRS | L36 | 22 | SQL adj optimiz\$6 | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:57 |
| 37 | BRS | L37 | 0 | 36 and (opcode or op-code or (op adj code) or (operation adj code)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:04 |
| 38 | BRS | L38 | 15013 | (opcode or op-code or (op adj code) or (operation adj code)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:58 |
| 39 | BRS | L39 | 678 | (opcode or op-code or (op adj code) or (operation adj code)) with pointer | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:58 |
| 40 | BRS | L40 | 22 | 39 and SQL and query | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 07:58 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|---|--|---------------------|
| 41 | BRS | L41 | 11 | 40 and call near9 function | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:05 |
| 42 | BRS | L42 | 269 | ((access adj plan) or (access adj path adj plan)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:03 |
| 43 | BRS | L43 | 2 | ((access adj plan) or (access adj path adj plan)) with pointer | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:00 |
| 44 | BRS | L44 | 37 | 42 and call near9 function | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:01 |
| 45 | BRS | L45 | 107 | ((access adj plan) or (access adj path adj plan) or (optimiz\$6 near4 plan)) with (SQL or (structur\$3 adj query adj language)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:13 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|---|--|---------------------|
| 46 | BRS | L46 | 2 | 45 and (opcode or op-code or (op adj code) or (operation adj code)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:04 |
| 47 | BRS | L47 | 5096 | "107" and call near9 function | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:07 |
| 48 | BRS | L48 | 21 | 45 and call near9 function | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:12 |
| 49 | BRS | L49 | 6 | 48 and interpreter | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:07 |
| 50 | BRS | L50 | 6 | 45 and ((access adj plan) or (access adj path adj plan) or (optimiz\$6 near4 plan)) adj4 code | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:23 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|---|--|---------------------|
| 51 | BRS | L51 | 3 | 45 and interpreter and call and (lookup or look-up or (look\$3 adj up)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:15 |
| 52 | BRS | L52 | 9 | 45 and (translat\$6 or interpreter) and call and (lookup or look-up or (look\$3 adj up)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:16 |
| 53 | BRS | L53 | 173 | 39 and (translat\$6 or interpreter) and call and (lookup or look-up or (look\$3 adj up)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:18 |
| 54 | BRS | L54 | 14 | 53 and 707/\$.ccls. | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:19 |
| 55 | BRS | L55 | 130 | 39 and (translat\$6 or interpreter) and call with (function or (lookup or look-up or (look\$3 adj up))) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:19 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|--|--|---------------------|
| 56 | BRS | L56 | 130 | 39 and (translat\$6 or interpreter) and (call with (function or lookup or look-up or (look\$3 adj up))) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:19 |
| 57 | BRS | L57 | 8 | 39 and (translat\$6 or interpreter) same (call with (function or lookup or look-up or (look\$3 adj up))) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:20 |
| 58 | BRS | L58 | 0 | 57 and 707/\$.ccls. | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:22 |
| 59 | BRS | L59 | 3 | 45 and (translat\$6 or interpreter) same (call with (function or lookup or look-up or (look\$3 adj up))) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:25 |
| 60 | BRS | L60 | 10 | 45 and (translat\$6 or interpreter) and (call with (function or lookup or look-up or (look\$3 adj up))) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:33 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|---|--|---------------------|
| 61 | BRS | L61 | 8 | 60 and 707/\$.ccls. | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:29 |
| 62 | BRS | L62 | 1836 | ((access adj plan) or (access adj path adj plan) or (optimiz\$6 near4 plan) or (query near optimiz\$6)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:24 |
| 63 | BRS | L63 | 375 | 62 and ((access adj plan) or (access adj path adj plan) or (optimiz\$6 near4 plan) or (query near optimiz\$6)) same (SQL or (structur\$3 adj query adj language)) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:25 |
| 64 | BRS | L64 | 6 | 63 and (translat\$6 or interpreter) same (call with (function or lookup or look-up or (look\$3 adj up))) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:26 |
| 65 | BRS | L65 | 5 | 64 and (pointer or refernc\$4) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:28 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|---|--|---------------------|
| 66 | BRS | L66 | 95 | 62 and (runtime or run-time or (run adj time) or execut\$5) near2 (translat\$5 or interpreter or interpret\$3) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:29 |
| 67 | BRS | L67 | 71 | 66 and 707/\$.ccls. | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:29 |
| 68 | BRS | L68 | 14 | 67 and (translat\$6 or interpreter) and (call with (function or lookup or look-up or (look\$3 adj up))) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:35 |
| 69 | BRS | L69 | 1 | 67 and (translat\$6 or interpreter) and (call with (lookup or look-up or (look\$3 adj up))) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:36 |
| 70 | BRS | L70 | 1 | 67 and (translat\$6 or interpreter or colpil\$6) and (call with (lookup or look-up or (look\$3 adj up))) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:36 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|--|--|---------------------|
| 71 | BRS | L71 | 1 | 67 and (translat\$6 or interpreter or compil\$6) and (call with (lookup or look-up or (look\$3 adj up))) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:36 |
| 72 | BRS | L72 | 10 | 62 and (translat\$6 or interpreter or compil\$6) and (call with (lookup or look-up or (look\$3 adj up))) | USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B | 2003/10/09 08:36 |